

MILLER THOMSON LLP
Barristers & Solicitors, Patent & Trade Mark Agents**RECEIVED**
CENTRAL FAX CENTER

DEC 23 2004

Fax Transmission Cover700, 22 Frederick Street
P.O. Box 578
Kitchener, ON, Canada N2G 4A2
Tel: 519.579.3661 Ext. 326 (Direct)
Fax: 519.576-2030 (Direct)
www.millerthomson.com

DATE: December 23, 2004
TO: U.S. Commissioner of Patents, Mark Consilvio, Group Art Unit 2872
FAX NO.: 703-872-9306
SUBJECT: Dixon - 10/648,450 Our File 58305.0007
FROM: Daryl W. Schnurr **DIRECT LINE:** 579-3661 ext 326
PAGES: (INCLUDING THIS PAGE) **DIRECT FAX:** 519-576-2030
Please notify Bonnie at Ext. 317 Immediately if all pages are not received

ORIGINAL WILL BE:Placed on file ☒ Mailed to you ☐ Sent to you by courier ☐**COMMENTS:****CERTIFICATE OF FACSIMILE TRANSMISSION**

Applicants: Dixon, Arthur E. Serial No. 10/648,450

Filed: 08/27/2003

Title: Imaging System having a Fine Focus

I hereby certify that the paper attached hereto, being an amendment dated December 23, 2004, is being facsimile transmitted to the Patent and Trademark Office on the date shown below.

Bonnie Rylance

Toronto Vancouver Calgary Edmonton Markham Waterloo Region Whitehorse Washington, D.C.
Affiliations Worldwide

The following material is intended for use only by the individual to whom it is specifically addressed above and should not be read by, or delivered to, any other person. Such material may contain privileged or confidential information. If you have received this facsimile in error, please notify us immediately by calling the sender's direct line above (collect if necessary). We thank you in advance for your co-operation and assistance.

Best Available Copy

IN THE UNITED STATES PATENT OFFICE

RECEIVED
CENTRAL FAX CENTER
DEC 23 2004

December 23, 2004
P.O. Box 578
700, 22 Frederick Street
Kitchener, Ontario
N2G 4A2
(519) 579-3660 phone
(519) 576-2030 fax

APPLICANTS : Dixon, Arthur E. et al
SERIAL NO. : 10/648,450
FILED : 08/27/2003
TITLE : Imaging System Having a Fine Focus
DOCKET : 58305.0007

Mail Stop Amendment
Honourable Commissioner for Patents
Washington, D.C. 20231

ATTENTION: Mark J. Consilvio, Group Art Unit 2872

AMENDMENT

Dear Sir:

Please amend the application as follows:

IN THE CLAIMS

In Claim 6, Line 1, after "in" insert -- any one of--;

In Claim 6, Line 1, delete "claim 4-5" and insert --Claims 4 or 5--;

REMARKS

Applicant elects species I.

Best Available Copy

Page 2

It is respectfully submitted that the application is now in condition for Allowance.

Yours very truly,



Daryl W. Schnurr
Reg. No. 28,569

Best Available Copy

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.